

elipson® | Prestige Facet II 34F

ENCEINTE COLONNE - 3 VOIES - BASS-REFLEX



La Prestige Facet II 34F sublime votre expérience d'écoute avec une nouvelle finition satinée, des renforts optimisés, un filtrage haut de gamme et un câblage en cuivre OFC.

Cette colonne 3 voies, équipée de deux haut-parleurs de grave de 250 mm, deux médiums de 170 mm et d'un tweeter de 25 mm, offre une réponse en fréquence étendue de 25 Hz à 25 kHz, avec une sensibilité élevée de 94 dB.

La charge bass-reflex accordée à 26 Hz assure des basses profondes et maîtrisées, idéales pour la Hi-Fi comme pour le home-cinéma



TECHNIQUE

Type Enceinte colonne - 3 voies - Bass-reflex	Filtre répartiteur- Fc 230 & 4500 Hz - 12dB / 12dB - 12dB / 18dB
Puissance 300 W RMS	Impédance nominale 6 Ω
Amplification recommandée 70 - 350W	Impédance minimale 5,3 Ohms @ 88 Hz
Haut-parleurs Tweeter : 25 mm Médiums : 2 x 170 mm Graves : 2 x 250 mm	Fréquence d'accord bass-reflex 26 Hz
Réponse en fréquence (±3dB) 25Hz - 25kHz	Bornier Argentés pour bi-câblage ou bi-amplification
Sensibilité 94dB / 1W / 1m	

DIMENSIONS POIDS

Dimensions sans pied L295 x H1190 x P376 mm	Poids sans pied 43,3 kg
Dimensions avec pied L371 x H1230 x P436 mm	Poids avec pieds 44 kg

PACKAGING

Packaging dimensions L1345 x H475 x P540 mm	Poids brut 51 kg
---	----------------------------

FINITIONS - CODES PRODUITS

	Finition Noir mat	SKU ELIPF234FMBK	EAN 3700795194584
	Finition Blanc mat	SKU ELIPF234FMWT	EAN 3700795194591
	Finitions Noir mat - Noyer	SKU ELIPF234FWNBK	EAN 3700795194607

elipson® | Prestige Facet II 34F

FLOORSTANDING LOUDSPEAKER - 3 WAY - BASS-REFLEX



The Prestige Facet II 34F enhances your listening experience with a new satin finish, optimised bracing, high-end filtering and OFC copper cabling.

This 3-way floorstanding loudspeaker, equipped with two 10" bass drivers, two 7" mid-range drivers and a 1" tweeter, offers an extended frequency response from 25 Hz to 25 kHz, with a high sensitivity of 94 dB.

The bass-reflex load tuned to 26 Hz ensures deep, controlled bass, ideal for both Hi-Fi and home cinema.





TECHNICAL

Type Floorstanding loudspeaker 3 way - Bass-reflex	Crossover 230 & 4500 Hz - 12dB / 12dB - 12dB / 18dB
Power 300 W RMS	Nominal impedance 6 Ω
Power amplifier 70 - 350W	Minimum Impedance 5,3 Ohms @ 88 Hz
Drive-Units Tweeter : 1" Mid-ranges : 2 x 7" Woofers : 2 x 10"	Tuned bass-reflex frequency 26 Hz
Frequency response (±3dB) 25Hz - 25kHz	Terminals Silver plated for bi-wiring or bi-amplification
Sensitivity 94dB / 1W / 1m	

DIMENSIONS
WEIGHTS

Dimensions without feet W295 x H1190 x D376 mm	Weight without feet 43,3 kg
Dimensions with feet W371 x H1230 x D436 mm	Weight with feet 44 kg

PACKAGING

Packaging dimensions W1345 x H475x D540 mm	Gross weight 51 kg
--	------------------------------

FINISHES
-
PRODUCTS
CODES

	Finish Black matt	SKU ELIPF234FMBK	EAN 3700795194584
	Finish White matt	SKU ELIPF234FMWT	EAN 3700795194591
	Finishes Black matt - Walnut	SKU ELIPF234FWNBK	EAN 3700795194607