

elipson® | Classic **SUB 10**

CAISSON DE BASSE ACTIF - BASS REFLEX



Le Elipson Classic Sub 10 s'impose comme le cœur de la gamme Classic Sub.

Plus généreux que son petit frère, il embarque un haut-parleur de 25 cm et une amplification de 200 W pour offrir un grave plus profond et percutant.

Conçu pour les salons de taille moyenne, il apporte cette ampleur physique indispensable pour vibrer devant un film ou donner du corps à vos écoutes musicales.

C'est le caisson polyvalent par excellence, capable d'épauler aussi bien des enceintes bibliothèques que des colonnes.





TECHNIQUE

Type

Caisson de basse actif
Bass reflex

Puissance de sortie

200 W Class D

Haut-parleur

250 mm membrane fibre de verre

Réponse en fréquence (±3dB)

29 - 160 Hz

Filtre subsonique

22 Hz / 12 dB / oct

Fréquence de coupure variable

40 - 160 Hz

Boost

+6.3 dB @ 33 Hz

Phase

0° / 180°

Veille

Automatique

Entrées

Ligne L/R (bas niveau)

Sortie

Ligne L/R (bas niveau)

DIMENSIONS POIDS

Dimensions sans grille

L306 x H372 x P410 mm

Poids

15,4 kg

Dimensions avec grille

L306 x H372 x P424 mm

PACKAGING

Dimensions packaging

L418 x H540 x P482 mm

Poids brut

18 kg

FINITIONS - CODES PRODUITS



Finition

Noir

SKU

ELICLASUB10BK

EAN

3700795194812

elipson® | Classic **SUB 10**

POWERED SUBWOOFER - BASS REFLEX LOAD



The Elipson Classic Sub 10 is the centrepiece of the Classic Sub range.

More generous than its little brother, it features a 10" driver and 200 W amplification to deliver deeper, more powerful bass.

Designed for medium-sized living rooms, it provides the physical presence needed to bring films to life and give your music listening experience more body.

It is the ultimate versatile subwoofer, capable of supporting both bookshelf and floorstanding speakers.





TECHNICAL

Type Powered subwoofer Bass reflex load	Boost +6.3 dB @ 33 Hz
Output power 200 W Class D	Phase 0° / 180°
Drive unit 10" Glass fibre cone	Stand-by Auto
Frequency response (±3dB) 29 - 160 Hz	Inputs Stereo line (low level)
Subsonic filter 22 Hz / 12 dB / oct	Output Stereo line (low level)
Variable cut-off frequency 40 - 160 Hz	

DIMENSIONS
WEIGHTS

Dimensions without grille W306 x H372 x D410 mm	Weight 15,4 kg
Dimensions with grille W306 x H372 x D424 mm	

PACKAGING

Packaging dimensions W418 x H540 x D482 mm	Gross weight 18 kg
--	------------------------------

FINISHES
-
PRODUCTS
CODES



Finish Black	SKU ELICLASUB10BK	EAN 3700795194812
------------------------	-----------------------------	-----------------------------