

elipson® | Classic **SUB 8**

CAISSON DE BASSE ACTIF - BASS REFLEX



Le Elipson Classic Sub 8 est la solution idéale pour ceux qui recherchent une assise sonore de qualité sans compromettre l'espace de leur intérieur.

Benjamin de la nouvelle gamme «Classic Sub», ce caisson actif allie discrétion et performance. Équipé d'un haut-parleur de 20 cm en fibre de verre et d'une amplification de 150 W, il apporte la profondeur manquante à vos musiques et vos films avec une réactivité exemplaire.

Un premier pas parfait vers l'univers de la haute-fidélité et du home-cinéma signé Elipson.



TECHNIQUE

Type

Caisson de basse actif
Bass reflex

Puissance de sortie

150 W Class D

Haut-parleur

200 mm membrane fibre de verre

Réponse en fréquence (±3dB)

37 - 200 Hz

Filtre subsonique

22 Hz / 12 dB / oct

Fréquence de coupure variable

40 - 200 Hz

Boost

+6.3 dB @ 33 Hz

Phase

0° / 180°

Veille

Automatique

Entrées

Ligne L/R (bas niveau)

Sortie

Ligne L/R (bas niveau)

DIMENSIONS POIDS

Dimensions sans grille

L256 x H322 x P350 mm

Poids

10,1 kg

Dimensions avec grille

L256 x H322 x P364 mm

PACKAGING

Dimensions packaging

L366 x H480 x P435 mm

Poids brut

12 kg

FINITIONS - CODES PRODUITS



Finition

Noir

SKU

ELICLASUB8BK

EAN

3700795194805

elipson® | Classic **SUB 8**

POWERED SUBWOOFER - BASS REFLEX LOAD



The Elipson Classic Sub 8 is the ideal solution for those looking for high-quality sound without compromising on space in their home.

The youngest member of the new "Classic Sub" range, this active subwoofer combines discretion and performance. Equipped with a 8" fibreglass speaker and 150 W amplification, it brings the missing depth to your music and films with exemplary responsiveness.

A perfect first step into the world of high fidelity and home cinema by Elipson.





TECHNICAL

Type Powered subwoofer Bass reflex load	Boost +6.3 dB @ 33 Hz
Output power 150 W Class D	Phase 0° / 180°
Drive unit 8" Glass fibre cone	Stand-by Auto
Frequency response (±3dB) 37 - 200 Hz	Inputs Stereo line (low level)
Subsonic filter 22 Hz / 12 dB / oct	Output Stereo line (low level)
Variable cut-off frequency 40 - 200 Hz	

DIMENSIONS
WEIGHTS

Dimensions without grille W256 x H322 x D350 mm	Weight 10,1 kg
Dimensions with grille W256 x H322 x D364 mm	

PACKAGING

Packaging dimensions W480 x H366 x D435 mm	Gross weight 12 kg
--	------------------------------

FINISHES
-
PRODUCTS
CODES



Finish Black	SKU ELICLASUB8BK	EAN 3700795194805
------------------------	----------------------------	-----------------------------